

JUPITER

S6 Minibus



***Small vehicle, big success***

KINGSTAR VEHICLE CO., LTD.

<http://www.kingstar.com.cn>

E-mail: [info@kingstar.com.cn](mailto:info@kingstar.com.cn)

## Minibus



## Interior



Combination meter (standard)



Combination meter (optional)



RHD

Transmission shifting rod of Minibus



Gery interior color




Beige interior color



## Interior

### Standard Seats



### Features




### Optional seats




Luxury type seats




Economic seats (optional)



Streamlined body reduces wind resistance thus reduces fuel cost; Energy-absorbing frame & body with wide cushion space ensures the safety



Anti-crash collapsible energy-absorbing steering column



6-vertical, 2-horizontal structured chassis is sturdy and reliable, together with front suspension of MacPherson independent suspension, rear suspension of 6 longitudinal leaf springs, superior loading capacity is obtainable



## Engine



**DL465Q5**  
4 cylinders in line  
MFI, **gasoline**  
998 cc  
45kW/5200rpm  
Euro 3



**DLCG12**  
4 cylinders in line  
EFI(electronid control  
ignition, **gasoline**  
1216 cc  
64kW/6000rpm  
Euro 4



**QC380Q**  
3 cylinders in line  
directi injection  
**diesel**  
1357cc  
20kW/3000rpm  
Euro 1

## Color



White



Silver



Orange



Blue



Grey

| SPECIFICATIONS                         |             |                                                                      |                                                 |                                         |
|----------------------------------------|-------------|----------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------|
| Model                                  |             | SY6390 Minibus                                                       | SY6390 Cargo van                                | SY6370 Minibus                          |
| Fuel type                              |             | Gasoline                                                             |                                                 |                                         |
| Driving                                |             | Rear drive, middle engine                                            |                                                 |                                         |
| DIMENSION & WEIGH                      |             |                                                                      |                                                 |                                         |
| Overall length                         | (mm)        | 3900                                                                 |                                                 | 3730                                    |
| Overall width                          | (mm)        | 1510                                                                 |                                                 | 1510                                    |
| Overall height                         | (mm)        | 1870                                                                 |                                                 | 1870                                    |
| Wheel base                             | (mm)        | 2430                                                                 |                                                 | 2350                                    |
| Cargo box (LxWxH)                      | (mm)        | -                                                                    | 2100x1330x1280                                  | -                                       |
| Tread, front/ rear                     | (mm)        | 1300\1300                                                            |                                                 |                                         |
| Ground clearance                       | (mm)        | 165                                                                  |                                                 |                                         |
| Curb vehicle weight                    | (kg)        | 1000                                                                 |                                                 | 985                                     |
| Gross vehicle weight                   | (kg)        | 1650                                                                 |                                                 | 1610                                    |
| Rated payload                          | (kg)        | -                                                                    |                                                 | -                                       |
| Seating capacity                       | (persons)   | 7-8                                                                  | 2-5                                             | 7                                       |
| Fuel tank capacity                     | (L)         | 40                                                                   |                                                 | 37                                      |
| SYSTEM                                 |             |                                                                      |                                                 |                                         |
| Gearbox                                |             | 5 speed manual                                                       |                                                 |                                         |
| Ratio                                  |             | 1st:3.652; 2nd:1.948; 3rd:1.424; 4th:1.000; 5th:0.795; Reverse:3.466 |                                                 |                                         |
| Final drive ratio                      |             | 5.125                                                                |                                                 |                                         |
| Steering                               |             | Manual rack & pinion                                                 |                                                 |                                         |
| Suspension                             | Front       | MacPherson independent suspension                                    |                                                 |                                         |
|                                        | Rear        | 6 longitudinal leaf springs on left & right                          |                                                 |                                         |
| Brake                                  | Front/ rear | Front disc, rear drum, hydraulic, dual loop                          |                                                 |                                         |
| Min. turning radius                    | (m)         | 4.75                                                                 |                                                 |                                         |
| Max. gradeability                      | (°)         | ≥ 16                                                                 |                                                 |                                         |
| Tires                                  |             | 165/70R14                                                            |                                                 |                                         |
| Max. vehicle speed                     | (km/h)      | 105                                                                  |                                                 |                                         |
| ENGINE(for all models)                 |             |                                                                      |                                                 |                                         |
| Model                                  |             | DL465Q5                                                              | QC380Q                                          | DLCG12                                  |
| Type                                   |             | 4 cylinders in line, MFI, gasoline                                   | 3 cylinders in line, 4 stroke, direct injection | 4 cylinders in line, MFI, DOHC gasoline |
| Displacement                           | (cc)        | 998                                                                  | 1357                                            | 1216                                    |
| Max. power                             | (kW/r/min)  | 45/5200                                                              | 20/3000                                         | 62/6000                                 |
| Max. torque                            | (N.m/r/min) | 85/2800-3200                                                         | 56/2100                                         | 106/4500                                |
| Compression ratio                      |             | 9.5:1                                                                | 18:1                                            | 10.2                                    |
| Fuel consumption at 50 kw/h (L\ 100km) |             | ≦ 5.5                                                                | -                                               | -                                       |
| Emission                               |             | Euro3                                                                | Euro 1                                          | Euro 4                                  |

| FEATURES              |                                       |                |                  |                |
|-----------------------|---------------------------------------|----------------|------------------|----------------|
|                       | Model                                 | SY6390 Minibus | SY6390 Cargo van | SY6370 Minibus |
| Comfort & Convenience | Radio & MP3 input                     | ■              | ■                | Radio          |
|                       | Front slip & adjustable seat          | ■              | ■                | ■              |
|                       | Heater                                | ■              | ■                | ■              |
|                       | Middle double integrated folding seat | —              | □                | —              |
|                       | Middle twin independent folding seat  | ■              | —                | ■              |
|                       | Rear double integrated folding seat   | ■              | —                | ■              |
|                       | Front & rear A/C                      | □              | □                | □              |
|                       | Front A/C                             | □              | □                | □              |
| Exterior              | Sliding passenger door                | ■              | ■                | —              |
|                       | Swing side door for passenger         | —              | —                | ■              |
|                       | Steel wheel rim                       | ■              | ■                | ■              |
|                       | Aluminum-alloy wheel rim              | □              | □                | □              |
|                       | Front combination lamp                | ■              | ■                | □              |
|                       | Folding key                           | ■              | ■                | ■              |
|                       | Same color front bumper               | ■              | ■                | ■              |
|                       | Black front bumper                    | □              | □                | □              |
| Interior              | Interior fuel tank opener             | ■              | ■                | ■              |
|                       | 4-spoke steering wheel                | ■              | ■                | ■              |
|                       | Ashtray & lighter                     | ■              | ■                | ■              |
|                       | Folding cup holder                    | ■              | ■                | Cup holder     |
| Safety                | Central locking                       | □              | □                | □              |
|                       | Fog lamp                              | ■              | ■                | □              |
|                       | High-mount brake lamp                 | ■              | ■                | ■              |
|                       | Seat belt                             | ■              | ■                | ■              |
|                       | Steering column lock                  | ■              | ■                | ■              |

Note: ■ = Standard □ = Optional - = Not available