

Euro 3

Front disc brake inside !



3.5 - 4.5 Ton (1995 mm cabin width)



3 Ton (1780 mm cabin width)



3 Ton

Single cab



Space cab



3.5

Single cab



Space cab



4.5 Ton

Single



Space cab

Exterior & Interior



Cabin tilting mechanism



Rear openable window (for space cab)

NT



2012 new face



Front disc brake



Air desiccator



Dashboard (1780 mm width cabin)



Dashboard (1995 mm width cabin)



Air pressure gauge



Combination meter



Glove box

● 3 Ton Truck

SPECIFICATIONS					
Model		BJ1044P1U52		BJ1044PPU52	
Type		Single cab		Space cab	
DIMENSION & WEIGHT					
Overall dimension (mm)	Length	5990		5990	
	Width	2020/2060		2020/2060	
	Height	2220/2320		2220/2320	
Cabin width	(mm)	1780		1780	
Wheel base	(mm)	3308		3308	
Tread, front/ rear	(mm)	1580/1395		1850/1395	
Cargo body inside (mm)	Length	4250		3880	
	Width	1900		1900	
	Height	400		400	
Curb vehicle weight	(kg)	2395		2560	
Gross vehicle weight	(kg)	5590		5755	
Payload	(kg)	3000			
Approch/departure	(°)	23/14			
Seats		3			
Max. vehicle speed	(km/h)	≥95			
ENGINE					
Model		CA4DC2-10E3			
Type		Vertical in-line, 4 stroke turbo-charged intercooled			
Bore & stroke		98 x 105			
Displacement	(cc)	3168			
Compression ratio		18:01			
Max. power	(kw/rpm)	80/3200			
Max. torque	(N.m/rpm)	245-320/2000			
Emission		Euro 3			
DRIVE TRAIN					
Clutch		Hydraulic, single plate, dry type diaphragm spring			
Gearbox	Type	5 speed manual			
	Model	LC5T30			
Max. grade ability	(%)	30			
CHASSIS					
Frame	(m)	Ladder shaped, 'J' section			
Suspension, front/ rear		Leaf springs			
Shock absorber, front/ rear		Double action shock absorbers			
Axle model		BJ1044			
Steering		Recirculating-ball			
Brake	Type	Air brake			
	Front/ rear	Disc/ drum			
Tires		6.50-16			

FEATURES		
Payload		3 Ton
A/C & Audio	AM/FM Cassette stereo	■
	AM/FM CD player	-
	Front defroster	■
	A/C	□
Exterior	Front fog lamps	■
	Steel wheels	■
	6.50-16 tires	■
	7.00-16 tires	□
	Radial tires	-
	Metallic paint	-
	3-way opening cargo deck	■
	2012 new front face	□
Interior	Cigar lighter & ash tray	■
	Fabric seats	■
	Reclining driver seat	■
	Engine tachometer	■
	Wood-grain-style inner trim	■
Mechanical	Cabin tilting mechanism	■
	Electrical engine stop	■
	Tilting steering wheel	■
	Power steering	□
Safety	3-points seat bells	■
	Laminated front windshield	□

Note: ■ = Standard □ = Optional - = Not available

3.5 - 4.5 Ton Truck

SPECIFICATIONS					
Model		BJ1044P1U53	BJ1044PPU53	BJ1065P1U62	BJ1065PPU62
Type		Single cab	Space cab	Single cab	Space cab
DIMENSION & WEIGHT					
Overall dimension (mm)	Length	5990	5990	6990	6990
	Width	2150	2150	2200	2200
	Height	2290	2290	2220	2220
Cabin width	(mm)	1995	1995	1995	1995
Wheel base	(mm)	3308	3308	3860	3860
Tread, front/ rear		1665/1525	1665/1525	1665/1525	1665/1525
Cargo body inside (mm)	Length	4250	3880	5200	4830
	Width	2060	2060	2010	2010
	Height	450	450	550	550
Curb vehicle weight		2485	2568	3450	3450
Gross vehicle weight (kg)		6180	6263	8145	8145
Payload (kg)		3500	3500	4500	4500
Approch/departure (°)		23/14	23/14	25/14	25/14
Seats		3	3	3	3
Max. vehicle speed (km/h)		≥95	≥95	≥95	≥95
ENGINE					
Model		CA4DC2-10E3		CA4DC2-12E3	
Type		Vertical in-line, 4 stroke turbo-charged intercooled			
Bore & stroke		98 x 105		98 x 105	
Displacement (cc)		3168		3168	
Compression ratio		18:01		17.5:01	
Max. power (kw/rpm)		80/3200		88/3200	
Max. torque (N.m/rpm)		245-320/2000		245-320/2000	
Emission		Euro 3			
DRIVE TRAIN					
Clutch		Hydraulic, single plate, dry type diaphragm spring			
Gearbox	Type	5 speed manual			
	Model	LC5T30		LC5T35	
Max. grade ability (%)		30			
CHASSIS					
Frame (m)		Ladder shaped, 'J' section			
Suspension, front/ rear		Leaf springs			
Shock absorber, front/ rear		Double action shock absorbers			
Axle model		BJ1065			
Steering		Recirculating-ball			
Brake	Type	Air brake	Air brake	Air brake	Air brake
	Front/ rear	Disc/ drum	Disc/ drum	Disc/ drum	Disc/ drum
Tires		7.50-16	7.50-16	8.25-16	8.25-16

FEATURES			
Payload		3.5 Ton	4.5 Ton
A/C & Audio	AM/FM cassette stereo	■	■
	AM/FM CD player	□	□
	Front defroster	■	■
	A/C	□	-
Exterior	Front fog lamps	■	■
	Steel wheels	■	■
	7.50-16 tires	■	■
	7.00-16 tires	□	-
	8.25-16 tires	-	□
	Radial tires	-	-
	Metallic paint	-	-
	3-way opening cargo deck for space cab	■	-
	3-way opening cargo deck 3.5 ton single cab and 4.5 ton	■	■
	2012 new front face	□	□
Interior	Cigar lighter & ash tray	■	■
	Fabric seats	■	■
	Reclining driver seat	■	■
	Engine tachometer	■	■
	Wood-grain-style inner trim	■	■
Mechanical	Air brake + front disc brake	■	■
	Hydraulic assisted clutch	-	-
	Cabin tilting mechanism	■	■
	Electrical engine stop	■	■
	Tilting steering wheel	■	■
	Power steering	□	■
	Power assisted clutch	-	■
Safety	3-points seat belts	■	■
	Laminated front wind shield glass	□	□
	Air pressure guage	■	■
	Exhaust brake	□	□

Note: ■ = Standard □ = Optional - = Not available



KINGSTAR VEHICLE CO., LTD

<http://www.kingstar.com.cn>